



2019 Used Concrete Boom Pump Truck 56m SYM5449THB 560C-8A

Our Product Introduction

for more products please visit us on hnhzmachinery.com

Basic Information

- Place of Origin: CHINA
- Brand Name: SANY
- Model Number: SYM5449THBE 56C-8A
- Minimum Order Quantity: 01UNIT
- Price: Negotiate
- Packaging Details: N/A
- Delivery Time: 25 Days
- Payment Terms: L/C, T/T
- Supply Ability: 30/unit/month



Product Specification

- Brand: Sany
- Worked Hour: 1850H
- Chassis: Benz
- Boom Length: 56m
- Emission: Eur V
- Boom Type: RZ
- Axle: 4
- Mileage: 38502KM
- Name: Used Concrete Boom Pump Truck
- Highlight: 2019 Used Concrete Boom Pump Truck,
Used Concrete Boom Pump Truck 56m,
56m Pump Truck Used



More Images



Product Description

2019 Mode SYM5449THB 560C-8A

| Product Discription | |
|--|-----------------------|
| Pump Type | SYM5449THB560C-8A |
| Concrete pump brand | Sany |
| Engine model | OM501LA. /4 |
| Outline dimensions (Length' Width 'Height) | 13.85 m × 2.5 m × 4 m |
| Fuel type | Diesel fuel |
| Engine emission standard | Eur V |
| Engine Power | 320/1800 kW/rpm |
| Chassis | BENZ Actros 4144 8X4 |
| Empty weight | 44000 kg |
| Vertical reach | 56 m |
| Horizontal reach | 51 m |
| Reach depth | 36.6 m |
| Unfolding reach | 15.2 m |
| 1st section-Length | 11.39m |
| 1st section-Articulation | 90° |
| 2nd section-Length | 9.23m |
| 2nd section-Articulation | 180° |
| 3rd section-Length | 8.75m |
| 3rd section-Articulation | 180° |
| 4th section-Length | 11.07m |
| 4th section-Articulation | 240° |
| 5th section-Length | 8.08m |
| 5th section-Articulation | 210° |
| 6th section-Length | 3.35m |
| 6th section-Articulation | 110° |
| Rotation | ±360 ° |
| Outrigger spread L-R-Front | 9.47m |
| Outrigger spread L-R-Rear | 12.68m |
| Output (Low/High-pressure) | 180/125 m³/h |
| Pressure (Low/High-pressure) | 8.3/12 Mpa |
| Max. strokes per minute (Low/High-pressure) | 29/19 times/min |
| Delivery cylinder Parameter | φ 260x2100 mm |
| Oil pump | Rexroth &Hawei |
| Hydraulic system | Open |
| Hydraulic system pressure | 32 Mpa |
| Hydraulic tank capacity | 680 L |
| Water tank capacity | 620 L |
| Delivery Pipe Size | φ 125mm |
| Fuel tank capacity | 400 L |



