# Hunan Zhongheng Machinery Co., Ltd. hnzhmachinery.com

# XCMG-HB56V Boom Kit 56 Meters For Schwing Truck Mounted Concrete Boom Pump

### **Basic Information**

Quantity:

Place of Origin: China
 Brand Name: XGMG
 Model Number: HB56V
 Minimum Order

Price: Negotiable
Packaging Details: Plastic Film
Delivery Time: 15days
Payment Terms: T/T
Supply Ability: 10



# **Product Specification**

Model: XCMG-HB56V
Boom Length: 56 Meters
Year: 2017
Boom Folding Type: Z

Distribution Valve: Skirt Valve
 Boom Section: 6 Sections
 Max Vertical Reach: 55.1 Meters
 Boom Type: Concrete Pump

• Outrigger: X

Highlight: Truck Mounted Concrete Boom Kit,

Xcmg Pump Truck Boom Kit, 56 Meters Concrete Boom Kit



# More Images



#### **Product Description**

#### XCMG-HB56V Boom Kit For Schwing Truck Mounted Concrete Boom Pump

#### **Product Description:**

The boom kit is specifically designed for concrete pump application, ensuring that the product is optimized for its intended use. It is best suited for use on Schwing pump trucks. It also features  $\pm$  360-degree slewing range, providing maximum flexibility and maneuverability. With a maximum vertical reach of 55.1 meters, this boom kit is suitable for a wide range of construction projects, from small residential to large commercial projects.

The XCMG pump truck boom kit is easy to install, and can be customized to fit a wide range of concrete pump truck models. It uses a 5.5mm thick double-layer pump tube, high-strength Steel, Not likely to cause pump tube burst. The kit is also designed for easy maintenance and repair, ensuring that downtime is minimized during periods of maintenance or repair.

Overall, the XCMG Concrete Pump Truck Boom Kit is a high-quality and reliable product that is designed to meet the needs of those in the construction industry. It is the perfect solution for those looking to upgrade their existing concrete pump truck, and provides the flexibility, durability, and performance required for any construction project.

#### Parameter:

Item	Unit	Parameter
Max.placing height	М	55.1
Quantity and folding type		6RZ
Gross weight	Т	33
Distribution valve		Skirt valve
Dimensions	mm	11300*2550*3670

#### Features:

Product Name: Concrete Pump Truck Boom Kit

Boom Slewing Range: ±360 Degrees

Boom Length: 56 Meters

Boom Slewing Type: Gear And Rack

Boom Folding Type: Z
Boom Type: Concrete Pump

This truck boom kit is perfect for concrete pump truck upper and features XCMG/Schwing BOOM KIT technology.

#### **Applications:**

Brand Name: XCMG/SCHWING

Model Number: HB56V Place of Origin: China Boom Folding Type: Z-fold Boom Material: High-strength Steel Boom Pipe Diameter: 125 Mm BoomIngredients Type: Skirt value

Boom Type: Concrete Pump

The XCMG Boom Kit is designed to fit onto a concrete pump truck upper, especially suitable for Schwing pump trucks, making it easy to transport and maneuver on construction sites. With its Z-fold boom folding type, it can easily extend and retract, making it ideal for both small and large construction projects. The high-strength steel material used in the boom ensures its durability and longevity, making it a reliable tool to have on any construction site.

The XCMG Boom Kit is perfect for various concrete pumping applications, including but not limited to:

Building foundations
Residential construction
Commercial construction
Bridge construction
Road construction
Tunnel construction

It is also useful in scenarios where concrete needs to be poured at a certain height or in hard-to-reach areas. With its gear and rack boom slewing type, the XCMG Boom Kit can easily rotate and position itself for optimum placement of concrete.

Overall, the XCMG Boom Kit is a valuable addition to any concrete pump truck. Its versatility and reliability make it a go-to tool for all your concrete pumping needs.

#### **Support and Services:**

Our Concrete Pump Truck Boom Kit product comes with comprehensive technical support and services to ensure maximum efficiency and performance. Our team of experts is available to assist with installation, maintenance, and troubleshooting, ensuring that your equipment operates at its optimal level. We also offer training programs for operators to ensure that they are properly trained to use our product. Our services include regular maintenance, repair, and replacement of components, as well as 24/7 technical support to ensure minimal downtime. We are committed to providing our customers with the highest level of support and services to ensure their satisfaction with our product.

#### **Packing and Shipping:**

Product Packaging:

Container transportation is available to ensure safe transportation.

Product Shipping:

We can use the shipping company designated by the customer for transportation, or we can help find a ship and use a safer and more reasonably priced shipping company. The shipping cost will be calculated based on the destination and weight of the package. Please allow 7-10 business days for processing and handling before the boom kit is shipped.





shawn@hnzhmachinery.com



nnznmacninery.com

Building B, Shijing International Plaza, Dongliu Road, Changsha Economic and Technological Development Zone, Hunan Province